

County	Adult obesity ^a	Prevalence of DM ^b	Smoking rate ^c	Suicide rate ^d
Bonneville	30.7%	9.2%	11%	14
Clark	32.8%	9.6%	-	230.7
Custer	27.3%	10.1%	14%	70.6
Fremont	26.9%	8.9%	17%	15.5
Jefferson	30.4%	9.1%	10%	11.1
Lemhi	23.8%	12.0%	14%	25.9
Madison	25.2%	5.5%	3%	8.0
Teton	26.6%	6.6%	10%	9.7
Idaho (State)	26.8%	8.5%	17%	19.1
U.S.	27.9%	9.7%	21%	12.6

a. Idaho Source: Network of Care (2012). U.S. Source: BRFSS (2012).

b. Prevalence among adults, crude rate. CDC: National Diabetes Surveillance System (2012).

c. Adult smoking. County Health Rankings (2015).

d. Rate: Number of deaths per 100,000 population. Idaho Source: Bureau of Vital Records and Health Statistics; Division of Public Health (2013). U.S. Source: CDC Data & Statistics Fatal Injury Report (2013).

Region Specific Data

	Eastern Idaho Public Health District	Idaho
Adult obesity ^a	33.8%	28.4%
Prevalence of DM ^b	7.3%	7.9%
Smoking rate ^c	13.6%	17.0%
Suicide rate ^d	14.9	19.1

a. Idaho Source: Network of Care (2013). U.S. Source: BRFSS (2013).

b. Prevalence among adults, crude rate. CDC: National Diabetes Surveillance System (2012).

c. Adult smoking. County Health Rankings (2015).

d. Rate: Number of deaths per 100,000 population. Bureau of Vital Records and Health Statistics; Division of Public Health (2013).